Product Catalogue

Nature's best








AURO has been the first manufacturer of natural paints worldwide to be **certified as carbon neutral company**. Since 2007, the certificate is renewed annually by the Climate Neutral Group. More information: http://goo.gl/mksttZ



Institutions like the Freiburg Eco Institute and the TUEV Sued approve that the **electricity used is environmentally friendly produced**. In combination with the **solar power systems on the AURO roof**, we work with **100 % energy from renewable sources**. Moreover, a solar thermal plant cares for the heat production. More information: http://goo.gl/mksttZ




Consistently revealed: The raw materials contained in our products are fully declared on every product label and on our website. This is our conception of transparency and consumer confidence.



Every year, AURO gets a **climate certificate** from the Dual System Germany, the institution that runs the "Green Dot" waste recycling system.

This certificate names the exact amount of CO₂ equivalents AURO saves by **waste recycling**.

More information: http://goo.gl/mksttZ



Certificates confirm that registered transport packaging is listed by the partners of Interseroh (a company that organises recycling processes), that the listed **transport packaging is further processed after use**, and that all requirements of the packaging regulations are met.

More information: http://goo.gl/mksttZ



Climate protection certificates of Interseroh on the CO₂ savings achieved by recycling packaging materials like cartons and paper More information: http://goo.gl/mksttZ



For the difficult subject of mould infestations, AURO offers the competent advice of a professional consultant for mould damages whose technical qualification has been certified by the TUEV Rheinland.

For many years already, AURO has been supporting the German Nature and Biodiversity Conservation Union (NABU) by sponsoring environmental projects. Only recently, the project "help for the white stork" was supported.



AURO Product Catalogue

Nature's best



www.auro.com



www.youtube.com/AUROtv

AURO Pflanzenchemie AG

Alte Frankfurter Straße 211 | D-38122 Braunschweig Tel: +49 (o) 531 – 28141-0 | Fax: +49 (o) 531 – 28141-61 export@auro.de | www.auro.com

AURO AG 2015 | This product catalogue has been made using a printing process, therefore colour reproductions may differ from the original colour shades. Errors and omissions excepted.

Contents

Abo	out AURO - Introduction
	On Nature's trail
	Research and development4
	Process optimisation5
	Marketing and distribution6
Fur	niture and wooden surfaces
ıuı	
	Primers and woodstains
	Garden furniture oils and terrace oils
	Primers for gloss paints15
	Paints
	0ils
	Waxes
	Overview of applications
Wo	oden floors
	Oils29
	Wax33
	Oil-wax combinations
	Aqua - the alternative
	Lyes & soaps
	Cleaning & care41
	Overview of applications44
Wa	lls and ceilings
wa	Primers47
	Wall plactors 49
	Wall plasters
	Full-shade tinting colours
	Colour wash plant glazes55
	Wall glaze waxes
	Special-purpose wall paints
	High-grade lime range
	Lime-casein paint
	Overview of applications
Bril	lliant ideas - Cleaning, care and maintenance
	Floors69
	Furniture75
	Kitchens
	Bathrooms79
	Soaps81
Glu	es and special products
	Glues85
	Special products
	Special products8/
Ind	ex
	Product overview

Good to know

This product catalogue gives you an overview of the diverse AURO product range. Here you will find answers to these and many other questions:

When should I use which product?


What colours are available?

What size is the tin and how far will I get with it?

Before using our products, please read all the notes on the label and in the technical data sheets. These, and a lot more useful information, are to be found as downloads on www.auro.com.

As a result of the consistent further development of our products, their formulae can change. Therefore, it is recommended, e.g. for vegans, to regularly check the full declarations on the labels and on www.auro.com.

Within the five fields of application, our products can be divided into the following categories that are, for better orientation, to be found on the labels, too:



About AURO - Introduction

On Nature's trail

AURO has a range of paints and care products for the whole house and garden. And, in your best interest, every single one of them is free of synthetic irritants and pollutants. No other manufacturer follows this principle as consistently as AURO. You will immediately feel what that is worth the first time you apply a high-quality hard oil or one of our solvent-free paints. For your precious wooden floors, walls and furniture there is no better protection. And for your quality of life there is no better decision.

Wood and walls treated with AURO do not release any artificial solvents and ideally support the natural moisture balance in your home. Your home can breathe easily - the best prerequisite to enjoying life within its walls.

AURO products are developed by specialists to the highest technical level. They offer you solutions for almost all fields of application in initial construction, renovation, cleaning and care. Well-engineered products and excellent technical advice for stockists and consumers ensure that your work produces long-lasting surfaces and great-looking results.

Houses are breathing easily - all over the world. Not only in Europe, but also in Asia and America, consumers and professional decorators appreciate the quality of AURO products and the fact that they contain no pollutants. Take a look in our pots: we manufacture the products at our own production site in Germany, thus ensuring our clients the greatest possible transparency.





Research and development

We keep up the pioneering spirit

Investment in research and development

From the beginning, we have not rested on standards achieved but always developed new product formulations and manufacturing processes in oder to keep natural paint products at the highest technical level and adapt them to new emission guidelines. The research and development team in Braunschweig now develops completely new kinds of biogenic primary products as well as revolutionary manufacturing methods. Thus AURO was, has been and will be the pioneer, trendsetter and initiator setting the standards within the field of natural paints.

Research project Replebin®

In a groundbreaking research project, we managed to develop our own novel, biogenic binding agent for coating materials, Replebin®. The prestigious SGS INSTITUT FRESENIUS¹ and Bremer Umweltinstitut² (Environmental Institute Bremen) have confirmed the biogenic origin of the binding agent. Replebin® will provide the basis for a new generation of paints with technical properties that are in no way inferior to conventional paints.



Public funding

The Federal Ministry of Economic Affairs and Energy funded the research project within the framework of their central investment program for small and medium-sized businesses (ZIM). The funding was directly linked to the development of a biogenic binding agent.

Supported by:



on the basis of a decision by the German Bundestag



Newly built production unit

The new production unit for biogenic binding agents required an investment of 1.1 million EUR. It was built and put into operation on AURO's company site in 2014. This investment into the future will enable us to process plant alcohols extracted from natural materials into binding agents that will be the basis for the new generation of AURO paints.

Future-proof products

During the drying process, the newly developed binder emits only water. There are no odours as is the case, for example, with the binding agents based on linseed oil. A further advantage is the much quicker drying of the new paint generation.

The first products to profit from the new Replebin® binding agent are the **AURO Plantodecor® Premium wallpaint (524)** and two new grip coats (see page 48). Professional painters and DIY customers will equally appreciate the substantial leap in quality of this new paint generation. Hereby, as usual, AURO is the innovation leader to invest into future-proof product ranges.



¹ The biogenic nature of the binding agent is regularly examined and confirmed by the SGS INSTITUT FRESENIUS.

² The biogenic basis of the binding agent is examined and confirmed by the Bremer Umweltinstitut (Bremen Institute on the Environment).

Process optimisation

Qualified specialists enable a sustainable manufacturing

Dedicated to service

Our experienced specialists supervise and permanently refine the development of the product group they are responsible for.

Their profound knowledge also helps to solve technical problems. Often enough, they have to come to the rescue of despairing customers when something has gone wrong with a paint job.

Our colour specialists mix colour tones on request for bigger building projects. They also care for the consistent quality of the natural pigments we use and make sure that the colour tones stay as uniform as possible with every new production batch.



As early as 2000, substantiated research and development efforts have brought forth a full assortment of completely solvent-free paints, stains and impregnations based on purely natural binding agents. These products meet the most stringent technical requirements presented on the market.

In our research and development department, new raw materials and production methods are permanently tested on their ecological and technical application possibilities within the known AURO consistency.











Raw materials and quality control

One of the main sources for AURO's clean, sustainable ingredients are plants. Hundreds of plant species form the basis of many different raw materials. Special emphasis is put on the origin of the material, its sustainability, and social responsibility issues at the place of extraction.

Each production batch is tested by our laboratory staff before it is released, back samples are kept for reference. Consistent product quality and colour tone stability are examined, the results are documented, adjustments are made where necessary.

Optimisation and innovation

Already existing products are constantly refined and ameliorated. A weather stand on the AURO building allows long-term examinations. The use of raw materials and the formulations are constantly optimised, particularly with regard to application procedures.

The practicability of new products is extensively tested before their market introduction. Recent innovations are: The newly developed binding agent Replebin®, a complete Anti-mould system and a photocatalytical, air-purifying wall paint, all on the basis of natural raw materials, a complete assortment of high-grade lime products, 100% compostable cleaning cloths for floors, and a lot more.

Marketing and distribution

Fair, reliable and customer-oriented







The company

AURO manufactures paints as well as cleaning, care and maintenance products for all fields of application, e.g. construction, renovation, hobby, household or garden.

Founded as a limited company in 1983, AURO was turned into a stock corporation in 1998. In Germany, AURO distributes through a net of 700 retailers who are advised by 10 regional representatives. AURO exports into nearly all European countries and overseas.

AURO...

...is the leading producer of natural paints and ecological coating materials. Since 1983, Auro's high degree of authenticity has been one reason for the steadily growing success in all these years of market presence.

...guarantees a consistent choice of natural, ecological raw materials. The full declaration on every container ensures the highest possible transparency.

... offers products with the highest technical standard, developed by specialists, for all fields of application in or outside the house.

Spotlight on the consumer

We offer our distribution partners manifold materials for active consumer marketing, e.g. colour charts, painted samples, brochures, and a lot more. The Colour Designer tool and a lot of useful information is available on our website, www.auro.com. Various AURO videos can be seen on our YouTube™ channel, and these are just a few of the things we offer.

Contact the AURO partner in your country or region to find out which materials are available.

Shop, showroom, technical advice

At our production site in Braunschweig, we also have a shop and showroom (see above) for customers who can get technical advice and purchase the products needed.

If you are too far away to come round and meet us personally, please call the AURO distributor in your country for information. Contact details can easily be found under 'AURO worldwide' on www.auro.com.

Should there be no AURO distributor in your region, please call tel. +49 531 281 41 41 (9-12 am, Monday through Friday, and 2-4 pm, Monday through Thursday) if you speak German, or write us an e-mail to export@auro.de if you don't.

Support for trade partners

AURO Germany, as well as our distribution partners around the world, are permanently looking for new customers, be it painters, architects or specifiers who want to learn more about natural paints, paint retailers or dealers specialising in natural products or just customers looking for the most ecological products for their home.

Our partners worldwide are ready to help customers with any information they might need about AURO, our products, technical advice, delivery, marketing, trade support, and more. Find your local representative under 'AURO worldwide' on www.auro.com or contact us under export@auro.de.



Furniture and wooden surfaces

Natural treatment - optimal protection







Natural stains...

or paints...

or oils and waxes for wood surfaces.

Wood has always been one of the most natural building materials. Each piece of furniture made of wood has its individual texture and the characteristic smell of wood contributes to a pleasant atmosphere. These precious features can be maintained by a protective treatment. With AURO, this can be done naturally.

Our paints, stains, oils and waxes get along without any harmful ingredients. Every product label shows exactly what is in the product. This transparency allows AURO customers to find out which raw materials are in the paints they apply in their homes.

Primers and woodstains9
Garden furniture oils and terrace oils 13
Primers for gloss paints15
Paints17
Oils22
Waxes24
Overview of applications

Primers and woodstains

Natural treatment – optimal protection



Special primer no. 117

> Easy to use

substances



Special primer for wood-based materials rich in active substances. Prevents delayed drying, breakthrough of discolouring substances in white paint and bleeding out of active substances on salt and pressure-impregnated wood.

> Binds colourants and active substances > Especially for woods rich in active











0,375 | 0,75 | | 2,50 l | 10,0 l


Some wood types contain a high share of tanning agents that can prolong drying times of a woodstain coating considerately. Others contain colouring substances that can penetrate to the surface. To avoid these effects, it is recommended to use the AURO Special primer (117) before the Woodstain is applied to these wood types.



Wainscot

Wainscot white no. 814

















> Water-thinnable

> For all types of wood

2,50 l

Wooden panels on walls and ceilings create a cosy atmosphere. But after just a few years, the darkening of the wood can make the room seem dark and oppressive. AURO Wainscot white (814) can help. It is best to paint each individual layer along the whole length of the panel in order to avoid overlapping of the coats. Woods rich in active substances should be pre-treated with AURO Special primer (117).

Examples for wood types that demand the Special primer (117)

Wood types with discolouring substances and "greasy" woods, e.g. bangkirai, red cedar, Oregon pine, hemlock, larch, meranti (dark red), merbau, niangon, pitch pine, teak. Wood types rich in tannin, e.g. afzelia, oak (also cork), framiré, iroko, chestnut, cherry, okume ("gaboon"), redwood, cedar.



Primers and woodstains

Natural treatment - optimal protection



This woodstain is part of AURO's "Classic" range. The Classic Woodstain (930) contains natural orange oil as a solvent, which explains the typical citrus fragrance.

The main field of application is the renovation of old Classic coats. Brushes should be cleaned with **AURO Orange oil (191)**.

All colour tones can be mixed among each other. The colour effect of stains varies with the type of wood painted. A test coating helps to define the resulting colour before the complete surface is painted.



Primers and woodstains


Natural treatment - optimal protection

Withstands wind and weather: **AURO** woodstain (160) offers long-term protection from wind and weather without damaging the environment. Particularly wooden elements on houses, such as façades, gables or car ports, require protection. Temperature fluctuations and water affect wood so badly that moisture gets in and the wood swells, then in dry periods it contracts again. This results in the natural material becoming porous, pale and forming cracks which allow moisture in.



Parents can breathe easily: The stain has been tested for resistance to saliva and perspiration. So it is also suitable for the treatment of children's toys, both indoors and out.







Garden furniture oils and terrace oils

Natural treatment – optimal protection



Oil for garden furniture, Aqua no. 115



Water-thinnable protection for your wooden garden furniture: dark brown coloured oil for untreated or pressureimpregnated garden furniture. Woods rich in active substances* should be pretreated with Special primer (117).









0,75 | 2,50 |

Wooden garden furniture must be cared for regularly to ensure that the colour and quality of the furniture is permanently maintained.

This is the only way to prevent damage to the wood due to sun, rain and everyday use. And not only does the furniture get a water and dirt-repellent coating, but the product also restores the glorious colour of the wood. The oil pigmentation protects the garden furniture from fading due to UV light.



> Breathable

- > Easy to use
- > Water and dirt-repellent



Teak oil/ Oil for garden furniture no. 102-81/-85/-92



A classy look in three colour shades for your wooden garden furniture. Doesn't flake and is easy to use with a cloth or brush. One application at the start of the season and another in the autumn ensures that your garden furniture will stay looking like new.







0,75 l

You can choose from water-thinnable, dark brown coloured Aqua oil or Classic oils containing solvents in various wood shades.

* A list of wood types rich in active substances can be found on page 9.



> Easy to use

- > Very durable
- > For interior & exterior use

Colour tones







Cleaning of garden furniture

Remove unsightly dirt and discolouration from your garden furniture with the powerful cleaning effect of AURO Garden furniture cleaner (811). The high concentration of the cleaner means that just a small amount is sufficient to achieve major results. Further information can be found in the section "Brilliant Ideas".

Garden furniture oils and terrace oils


Natural treatment - optimal protection

It is not only garden furniture that needs care: Wooden terraces also quickly lose their colour and the formation of mould and algae as a result of damp looks unsightly.

The user-friendly Classic Garden furniture oils and Terrace oils from AURO can be applied with a brush, roller or fluff-free cloth. After leaving a short time for the oil to sink in, all excess oil that has not sunk in must be wiped off. Then the furniture or terrace is ready for use immediately.



For regular cleaning, use **AURO Terrace cleaner (801)** from our 'Brilliant ideas' range of cleaning and care products. It frees terraces made of wood, stone or concrete from algae, moss or dirt and thus reduces the danger of slipping.





Primers for gloss paints

Natural treatment - optimal protection



Whether treating wood or metal, the basecoat or primer is particularly important. The more carefully it is applied, the more impressive the result.

First of all, rust or dirt are brushed off, imperfect old coats of paint are sanded down. Still adhering old coats of paint are roughened. Any uneven areas or small defects are filled with AURO Paint filler (231).

> Solvent-free


> Good for man & nature

> For interior & exterior use

0,10 l



Rust protection primer no. 234





> Easy to use

> Very economical

> Extremely durable





0,375 | 0,75 |

The primer is equally suited for untreated new or derusted old metal surfaces.





Primers for gloss paints

Natural treatment - optimal protection




For painting wood and wood-based materials indoors and out, priming with an undercoat is essential. The appropriate undercoat is selected depending on the type of topcoat, water-thinnable "Aqua" or "Classic" with natural citrus fragrance.



White undercoat, Aqua no. 253







- > Good for man & nature
- > For interior & exterior use
- > Water-thinnable, solvent-free

0,375 | 0,75 | 2,50 l | 10,0 l

*A list of wood types rich in active substances is to be found on page 9.



White undercoat, Classic no. 933



Provides a secure basis for topcoats: Matt white undercoat for White topcoat, glossy, Classic (935, interior and exterior) or satin matt, Classic (936, only indoors).





















Good to know

The White undercoats Agua (253) and Classic (933) should not be used as final coatings. After the undercoat has thoroughly dried, roughen the surface with a fine sanding paper to level remaining irregularities and provide a good 'grip' for the following paint application.


Natural treatment - optimal protection







White topcoat, satin matt Classic no. 936







- > Easy to use
- > High coverage
- > Good flow properties









0,75 | 2,50 |

Besides the water-soluble white "Aqua" paints, AURO also still offers the "Classic" range. The Classic white paints contain natural orange oil as a solvent, which explains the characteristic citrus fragrance.

These should be used for renovating old Classic paint coats. Used brushes should be cleaned with AURO Orange oil (191).

Natural treatment – optimal protection



Gloss paint, white, Aqua no. 250-90



A glossy white paint for wood and metal. Pre-treat wood rich in active substances* with AURO Special primer (117), other woods with AURO Hard primer (127). Then paint all types of wood with AURO White undercoat (253).









> Good for man & nature

- > For interior & exterior use
- > Water-thinnable, solvent-free

0,375 | 0,75 | 2,50 l | 10,0 l


Timeless elegance: White paint is and remains the classic for doors and furniture surfaces because white complements every living style. For interior use, AURO offers white paint in two different finishes. The decision as to gloss or satin matt is entirely a matter of personal taste.

For outdoor use, AURO white gloss paint can be used for a wide range of applications: the car port, summerhouse or bench will be radiant in elegant white and withstand the effects of wind and weather.



Matt silk paint, white, Aqua no. 260-90















0,375 | 0,75 |

The perfect Scandinavian look can be achieved by using the AURO Swedish red paint (148) on a wooden façade and contrast this by windows and doors painted with white AURO paints.

*A list of wood types rich in active substances is to be found on page 9.



> For interior use

- > Good for man & nature
- > Water-thinnable, solvent-free

2,50 l | 10,0 l

Aqua

Radiator paint no. 257



Restore steel and cast-iron radiators to a new condition. Temperature-resistant up to 70 °C. Can be tinted up to 10% with AURO coloured paints no. 250, glossy, or no. 260, matt silk.












0,375 | 0,75 | 2,50 |



Tip: Always paint radiators when cold and only heat once the paint is completely dry. After 3-5 days, the paint is thoroughly dry.



- > Easy to use
- > Water-thinnable
- > Very economical

Natural treatment – optimal protection



Gloss paint no. 250



Glossy coloured paints for wood and metal. Pre-treat woods rich in active substances* with AURO Special primer (117), other types of wood with AURO Hard primer (127). Then paint all types of wood with AURO White undercoat (253).









0,375 |

0,75 | 2,50 |

Not just a little colour, but lots of colour should be part of every child's room. AURO coloured paint brings a sparkle to the eye of every child and parents can also breathe easily since our coloured paints are very well suited for use on toys.

AURO coloured paints (250/260)

transform not only wood but also, for instance, stone and metal elements such as banisters and metal fittings. All painted surfaces are easy to clean and ideally protected against wear.



Matt silk paint no. 260

> Good for man & nature

> For interior & exterior use


> Water-thinnable, solvent-free





Silk gloss coloured paints for wood and metal indoors. Pre-treat woods rich in active substances* with AURO Special primer (117) and other types of wood with AURO Hard primer (127). Then paint all types of wood with AURO White undercoat (253).










*A list of wood types rich in active substances is to be found on page 9.





Colour tones



Ultramarine blue 250-55/260-55

English red 250-33/260-33

Green 250-65/260-65

Persian red 250-37/2<mark>60-</mark>37

Black 250-99/260-99

Tips for best results

Apply the paint with a brush or paint roller not too thick, it is up to 20 % water-thinnable. Paint the corners first, then the larger surface areas. Paint wood in the direction of the grain

All the glossy paints can be mixed among each other, and also all the matt silk ones. This gives you a whole variety of colour tones to choose from.



Natural treatment - optimal protection



Clear lacquer, glossy no. 251



A glossy clear lacquer for use on all wooden surfaces indoors. Woods rich in active substances* should be pre-treated with AURO Special primer (117), other types of wood with AURO Hard primer (127).











> Highly durable

> For interior use

> Highly durable

> Water-thinnable, solvent-free

0,375 | 0,75 |

Surfaces finished with colourless lacquer retain the natural colour of the wood and allow the lovely wood grain to show through. Surfaces are easy-care and resistant to mechanical wear and moisture. You have the choice between a gloss or matt silk finish.



Clear lacquer, matt silk no. 261



A clear matt silk lacquer for furniture and other wooden objects **indoors**. The Clear lacquer has a good flake resistance. Woods rich in active substances* should be pretreated with AURO Special primer (117), other types of wood with AURO Hard primer (127).









0,375 | 0,75 l | 2,50 L

*A list of wood types rich in active substances is to be found on page 9.



> For interior use > Water-thinnable, solvent-free



Natural treatment – optimal protection



Linseed oil varnish no. 143

Traditional protection for furniture and wooden chests: water-repellent, honeycoloured impregnation for all types of wood indoors. Highly economical with very good adherence.









0,375 |

wood deeply and reduces its absorbency. It is then well protected from dirt and water, but can still store atmospheric humidity. It feels natural to the touch and retains an intensive wood colour.

The most original form of wood treat-

ment is oiling. This impregnates the






- > Traditional wood treatment
- > Brings out the colour of the wood

0,75 | 5,0 |



Worktop oil no. 108

















0,375 | 0,50 |





- > Highly durable
- > Good for man & nature

How to do it

In order to ensure that your dream kitchen made of wood still looks good after decades of use, it is advisable to re-oil solid wood worktops and fronts regularly. AURO Worktop Oil (108) is ideal for this and can be applied very easily with a roller or cloth. After about 10 minutes, excess oil is removed or rubbed with a cloth. After 24 hours the surfaces are ready for use again and are restored to an intense, warm wood colour.

All oils from AURO's Classic and PurSolid ranges can be tinted with the AURO Colour concentrates for natural resin oils (150). You can choose from eight colour concentrates with finely-ground, light-fast earth and mineral pigments.



Natural treatment – optimal protection



Impregnating primer no. 121

Transparent wood impregnation for indoor use with natural citrus fragrance. Can be used alone to treat wood or as a primer on absorbable surfaces before treatment with wax or oil. Gives surfaces a honevcoloured finish.







Depending on the wear and use load to which oiled surfaces are exposed, mechanical wear may become visible in areas of direct contact. Therefore, oiled surfaces need maintenance from time to time. AURO Care oil (106) (see page 42) is the right product for this purpose. For worn-out surfaces, however, it is recommended to apply a new coat of the originally applied oil.



> Easy to use

- > Firing-up effect
- > Also suitable for cork





Colour concentrates for natural resin oils no. 150

Oils can be colourful too: colour concentrates for tinting oils and impregnations from the AURO PurSolid and Classic ranges. In eight colour shades with finelyground, light-fast earth and mineral pigments.







0,375 l

The colour concentrate is mixed into the oil in a separate container, the maximum share of colour concentrate being 20 %. With the darker concentrates, even 15 % can already lead to a coat that covers the wood structure. It is recommended to test the coverage and colour effect on a small spot before application on a larger surface.



> Easy to use

- > UV-resistant
- > Colour-intensive

Colour tones

Ochre yellow

Chromium oxide green 150-60

Persian red 150-30

> Burnt umber 150-82

English red 150-32

> White 150-90

Ultramarine blue 150-50

Earth black 150-99

Waxes

Natural treatment – optimal protection

A balsam made of beeswax and plant wax gives wooden furniture a honeycoloured surface which feels wonderful to the touch. Besides the visual effect, the furniture balsam protects the precious wood furniture from mechanical wear.

The balsam is applied using a balled cloth. For a silky matt shine, polish after 4 hours or, if you prefer a silk gloss finish, polish after 24 hours.



Furniture balsam no. 173

Highly economical balsam from beeswax and plant wax with a natural citrus fragrance for wooden furniture. Gives surfaces indoors a honey-coloured breathable finish.













0,10 | 0,40 |



- > Also suitable for cork
- > Perfect wax protection
- > For refinement of furniture





Plant hard wax, Classic no. 971

A wax treatment for wooden furniture and cork surfaces. Apply with a rag ball or by hot spraying, polish in still soft state to obtain a satin mat finish. Protects surfaces exposed to normal wear for a long time.



- > Easy to use
- > Economical, versatile
- > Especially for furniture subject to heavy wear










0,40 l



Liquid wax no. 981













> For refinement of furniture

> Durable

> Surfaces pleasant to the touch

0,75 | 2,50 |





Overview of applications*

Natural treatment - optimal protection

	Coloured or colourless wood staining		Coloured or white wood painting		Colourless wood lacquering
System	Aqua C	Classic	Aqua	Classic	Aqua
Primer Undercoat	no. 117 n		no. 117 no. 127 no. 231 no. 253	no. 117 no. 231 no. 933	no. 117 no. 127
Topcoat	no. 160 no. 814 (grain shows through slightly)	10. 930	no. 250-90 no. 260-90 no. 250/260	no. 935 no. 936	no. 251 no. 261
Appearance	opearance (semi) transparent layer of stain		covering layer of paint		transparent coat of lacquer
Cleaning	no. 435		no. 435		no. 435

	Coloured & white metal painting		Painting radiators white	
System	Aqua	Classic	Aqua	
Primer	no. 234	no. 234	no. 234	
Topcoat	no. 250-90 no. 260-90 no. 250 no. 260	no. 935 no. 936	no. 257	
Appearance	covering layer of paint		covering layer of paint	
Cleaning	no. 435		no. 435	

	Garden furniture		Terraces	
System	Aqua	Classic	Classic	
Primer	no. 811	no. 811	no. 801	
Topcoat	no. 115	no. 102-81 no. 102-85 no. 102-92		
Appearance	(semi) transparent co	loured coating	(semi) transparent coloured coating	
Cleaning	no. 811	L	no. 801	

	Oiling wooden furniture		Waxing wooden furniture
System	PurSolid	Classic	Classic
Primer			no. 121
Topcoat	no. 108 no. 143	no. 121	no. 173 no. 971 no. 981
Colour Concentrate for natural resin oils	no. 150	no. 150	
Appearance	honey-coloured/wood grain		honey-coloured/wood grain
Care	no. 106		no. 107

^{*} Applications are optional and depend on the surface material and properties of the wood. Please see our current technical data sheets at www.auro.com. The consumption quantities stated on labels and in Technical data sheets are nonbinding guide values for smooth surfaces of average absorbency with application of a single coat. The actual quantities used and the suitability with regard to the surface being treated must always be ascertained by prior testing on the object itself.



Wooden floors

First-class refinement – sustainable care







Natural oils...

...and waxes...

...and cleaners for wooden floors

Wood is a living material which can be seen and also becomes impressively obvious every time we touch it. With a natural surface treatment, the open pores can store air moisture and release it into the room as needed. Precious floor waxes and oils from AURO are first choice when it comes to protecting wood material with a natural product in order to keep its beauty for a lifetime.

Solid wooden floors can also be quickly and easily cleaned. With product compositions that have been tried and tested for decades, your floors can be thoroughly cleaned and maintained with organic and mineral essences. The comprehensive AURO product range has cleaning, care and maintenance components for each type of wood, for all kinds of floorings or laying methods.

Oils29
Wax33
Oil-wax combinations35
Aqua - the alternative
Lyes & soaps39
Cleaning & care 41
Overview of applications

First-class refinement - sustainable care



One-off oil no. 109

Protective oil for untreated or pre-oiled wooden furniture and flooring. Produces easy-care surfaces and intensifies the colour of the wood. Apply - wipe off excess oil - polish: that's it!





- > Good for man and nature
- > Pure natural oils, solvent-free

One-off oil is suitable for all standard types of wood and fields of application indoors. One application is generally sufficient to achieve an easycare and aesthetically pleasing surface on raw wood. Application to pre-oiled surfaces increases the protective effect and intensifies the natural wood shade. Humidity fluctuations are regulated and resilience improved.



1,0 l | 2,50 l



One-off oil, natural no. 109-90







- > Good for man and nature
- > Pure natural oils, solvent-free





1,0 | 2,50 |

The white pigmentation of **AURO One-off oil, natural (109-90)**, counteracts the darkening of the wood and is particularly suitable for light woods (e.g. maple, ash and birch).



First-class refinement - sustainable care



> Solvent-free

> Highly durable



0,375 | 0,75 | 2,50 l | 10,0 l

On our YouTube™ channel "AURO TV", we present application videos on selected product ranges, among them videos about the application of AURO oils and waxes on wooden floors. Have a look at: www.youtube.com/aurotv.



Oiled floors treated with AURO PurSolid Hard oil (123) take on a refined "intensified" colour and enjoy long-term protection thanks to the deep impregnation. Application is easy: Apply to the wood with a roller or spatula. Then, after ca. 10 minutes, use a cloth or polishing pad to evenly rub in, distribute and remove any excess oil. No shiny patches should remain. Then allow to dry for 24 hours.

Tip: On bigger surfaces, polishing machines facilitate the application considerably. Many professional stockists hire out polishing machines.



First-class refinement - sustainable care

AURO Hard oil, clear (126) is the classic among the AURO oils. It is suitable for flooring subject to normal wear and lends the wood a honey shade. During treatment and in the first days after treatment there is a smell of essential oils since it contains orange oil as a solvent.



If you want to protect untreated wood with oil, but don't like the darkened wood shade, here is an alternative: With AURO Hard oil, white (126-90), the wood stays light for years without appearing to have been "painted" white.



Refurbishing

Highly stressed wooden surfaces can be maintained and refurbished with **AURO** Care oil (106).






Wax

First-class refinement – sustainable care



Waxed wooden floors stand out for their splendid polish and pleasant surface feel. The application of wax doesn't only fulfil visual requirements: It also creates a thin protective layer that increases the durability of the flooring.



Wax

First-class refinement - sustainable care



Provide all materials necessary and prepare the room appropriately.



Clean the fine-sanded floor, brush out the pores in the direction of the fibres and dust off carefully.



Prime absorptive substrates with AURO no. 117, 126, 123 or 128 and rub in the oil.



Apply a thin layer of AURO Hard wax evenly and streak-free to the wooden floor.



Polish the wax within 1-2 hours in still soft state, preferably with a one-disc polishing machine.



Let dry and treat carefully until the final hardness of the surface is achieved.

Tips for processing

The dirt-repellent **AURO Hard wax (171)** is a balsam made of beeswax and plant wax which is suitable for all types of wood, linoleum, cork and unglazed clay tiles. It is applied with a balled cloth, a Japanese spatula, or by using the hot spray technique and then polished up to a satin matt finish while still soft. For surfaces subject to normal wear and with regular care, it ensures long-term protection of the wood. The photo series shows the single worksteps in a simplified way. Please also observe the current technical data sheets for the products.

By means of a pre-treatment with AURO 2 in 1 Oil-wax, PurSolid (128) and AURO Special primer (117), a particularly good durability can be achieved (group of stress 1C, acc. to DIN 68861 part 1).


For video fans

On our YouTube™ channel "AURO TV", we present application videos about the application of AURO oils and waxes on wooden floors. Have a look at: www.youtube.com/aurotv.



Oil-wax combinations

First-class refinement – sustainable care



2 in 1 Oil wax, PurSolid no. 128



For wooden floors: oil and wax application in one step. High-quality product for efficient commercial and industrial use. After polishing, it produces a silky and honeycoloured surface pleasant to the touch.









0,75 | 2,50 |

Professional craftsmen appreciate the efficient and effective treatment of large areas with "2-in-1 products". Here the wood is oiled and waxed at the same time - in one step.

The professional has the choice between the PurSolid version, which is free of solvents and water, and the Classic version with a natural citrus fragrance.



> Highly economical > Water- and dirt-repellent

> Easy to use

2 in 1 Oil wax, Classic no. 129















0,375 | 0,75 | 5,0 l | 20,0 l





- > Highly durable
- > Particularly pleasant to the touch



AURO professional products

AURO offers professionals three easyapplication, rapidly-absorbed, liquid oilwax impregnations which produce a particularly pleasant and silky surface after polishing. They produce a high-quality easycare surface finish which can also be easily refurbished.

Oil-wax combinations


First-class refinement - sustainable care

The "2 in 1" product for the DIY enthusiast: With just one application, your wooden floor is oiled and waxed.

This solvent-free product is easily applied to untreated or pre-oiled wood with a roller. After polishing off - within 1 hour of application - you have a perfect surface which can be wiped over with a damp cloth after one day.



These easy-care surfaces can simply be cleaned with **AURO Floor cleaner (427)** and maintained with **AURO Floor care emulsion (431)**.





Aqua - the alternative

First-class refinement – sustainable care



Hard primer no. 127



Primer on wood types without active substances, for follow-up coatings with Aqua paints (250, 260), Floor varnish (267) or Wood wax (187). Woods rich in active substances* should be primed with AURO Special primer (117).









0,75 | 2,50 |

In the course of an elaborate research project, AURO has developed a solventfree complementary system to join the PurSolid range and the Classic solvent products: the totally solvent-free, water-based Aqua range.

Agua products have considerably lower odour, the wood shade appears more natural and less "fired up" after treatment.



> For floors


> Easy to use

> Good for man and nature



Wood wax no. 187













0,75 | 2,50 |

Whether wood wax or floor varnish is used depends on personal taste and the utilisation of the flooring. Flooring treated with AURO Floor varnish (267) has a particularly high durability and a subtle, moderate shine.

* A list of wood types rich in active substances is to be found on page 9.



> Easy to use

> Solvent-free

> High-quality surface protection

Agua

Floor varnish no. 267



A transparent floor varnish for indoor use with only moderate shine. Makes wooden floors very robust and dirt-repellent. Woods rich in active substances* should be pretreated with AURO Special Primer (117).













> Easy to use

> No abrasion, no slipping

> High-quality surface protection

0,75 | 2,50 |

The Hard primer (127) should not be used as final coating. It is meant only as a primer for subsequent application of Wood wax (187) or Floor varnish (267). These products can best be applied with a short-pile Rotanyl roller that takes up paint very well, does not become felted and can easily be cleaned.

Lyes & soaps

First-class refinement – sustainable care



Softwood lye no. 401

For light-coloured wooden floors in Scandinavian style: slightly white-pigmented lye for new, sanded solid softwood indoors. Then treat with AURO Wood soap (403) or AURO Wood soap, white (404).





- > Gives a natural look
- > For maintaining light wood colouring

floors, wooden floors treated with lyes or soaps maintain their original light wood shade. Even darkening due to the effect of light is prevented by these products. With this method, new, sanded softwood or hardwood floors are treated with the slightly white pigmented lye and then with wood soap.

As an alternative to darkened oiled





2,0 l



Hardwood lye no. 402

For light-coloured wooden floors in Scandinavian style: slightly white-pigmented lye for new, sanded solid hardwood indoors. Then treat with AURO Wood soap (403) or AURO Wood soap white (404).



> Ready to use

- > Gives a natural look
- > For maintaining light wood colouring





2,0 l

The processing is done with a large surface brush or foam roller. Gloves and protective goggles should be worn for this.



Light and natural

This type of wood treatment produces open-pore, vapour-permeable surfaces that look very light and natural. As they are not very dirt-repellent, we recommend use on floors which see little traffic. These must be treated regularly depending on

Lyes & soaps

First-class refinement – sustainable care



Wood soap no. 403

Wood soap for follow-up treatment of interior solid wood floors pre-treated with AURO Softwood lye (401) or AURO Hardwood lye (402). To achieve even lighter shaded floors, AURO Wood soap, white (404) should be used.









2,0 l


> For soap treatment

> For cleaning and care

> Economical concentrate

Wooden floors pre-treated with lve should be treated two or three times with a soap solution. The soap is very effective against dirt. Even watermarks and slight pressure points can be removed by mopping. Regular use of AURO wood soap, white (404) is an effective protection against yellowing of the wood surface.

The wood soap is applied diluted 1:10 with water and rubbed in with a polishing machine with polishing pad. Within 15 minutes, product residue not absorbed by the wood should be removed. After half a day's drying time, the treatment can be repeated.



Wood soap, white no. 404


White-pigmented wood soap for follow-up treatment of interior solid wood floors pretreated with AURO Softwood lye (401) or AURO Hardwood lye (402). For a minor degree of white, AURO Wood soap (403) is the right choice.







2,0 l



- > For cleaning and care
- > Economical concentrate

Cleaning and care

For cleaning and care, the wood soap is diluted 1:40 with water and the floor mopped. Depending on the required lightening effect, white or colourless soap can be used or it is also possible to use a mixture of the two. The floor is mopped with the soap solution, then the mop is rinsed out in water (have an additional bucket ready with water) and well wrung-out, then dipped back in the soap solution. Allow the floor to dry after mopping.

Cleaning & care

First-class refinement - sustainable care

In order that oiled and waxed wooden floors keep looking good for a long time, they need regular care. If a few layers of wax have built up or if the floor is heavily soiled, the **AURO Power cleaner (421)** should be used. This removes the old layers and forms a new wafer-thin protective film of wax.



The **AURO Floor care emulsion (431)** is the universal mild care product for oiled and waxed floors which should be used regularly in the mopping water.

Other cleaning products for floors made from materials other than wood are to be found in the section "Floors" in the "Brilliant Ideas" range".



For video fans

On our YouTubeTM channel "AURO TV", we present application videos on selected product ranges, among them videos about the application of AURO oils and waxes, or the **Power cleaner (421)** on wooden floors. Have a look at: www.youtube.com/aurotv.





Cleaning & care

First-class refinement - sustainable care



For easy aftercare of oiled and waxed floors, AURO has developed the Care oil and the Care wax. Firstly the surfaces are cleaned thoroughly with AURO Power cleaner (421). This ensures that not only dirt is removed, but also active substances in the wood which could detrimentally affect the drying of the nourishing, oily components of the care products. If the wood already feels rough, fine sanding is recommended.



The AURO Care oil (106) or Care wax (107) is then diluted 1:1 with water, distributed over the floor in a fine mist and polished off after approx. 15 minutes using an single-disc polishing machine with a white or beige polishing pad. After 24 hours, the floor is ready for use again. The floor may be treated again, this time with the undiluted product, to increase the resistance of the protective coating.



The infinite variety of wood...



Overview of applications*

First-class refinement – sustainable care

	Oiling wooden floors		Oiling and waxing wooden floors			Painting wooden floors
System	PurSolid	Classic	Aqua	PurSolid	Classic	Aqua
Pre-treatment			no. 117 no. 127			no. 117 no. 127
Coating	no. 123 no. 109 no. 109-90	no. 126 no. 126-90		no. 123 no. 109 no. 109-90	no. 126 no. 126-90	no. 267
Waxing			no. 187	no. 171	no. 171	
Appearance	Intensified colour	Light honey tone	Brighter appearance	Intensified colour	Light honey tone	Transparent coat of varnish
Cleaning/Care	no. 106 no. 427 / no. <i>i</i>	/ no. 431 / 437 / no. 661	no. 107 no. 427 no. 437	no. 106 / no. 1 no. 427 / no. 4		no. 427

	Oil-wax combi	nations	Soaps & lyes		Cleaning & care	
System	PurSolid	Classic	Softwood	Hardwood	Cleaning	Care
Pre-treatment			no. 401	no. 402		
Coating/ Treatment	no. 125 no. 128	no. 129	no. 403 no. 404	no. 403 no. 404	no. 421	no. 431 no. 106 no. 107
Appearance	Intensified colour	Light honey tone	Brightened			
Cleaning/Care		431 / no. 427 / / no. 661	Floors treated with soap and lyes have to be maintained or retouched with the same products.			

^{*}Applications are optional and depend on the surface material and properties of the wood. Please see our current technical data sheets at www.auro.com. The consumption quantities stated on labels and in Technical data sheets are non-binding guide values for smooth surfaces of average absorbency with application of a single coat. The actual quantities used and the suitability with regard to the surface being treated must always be ascertained by prior testing on the object itself.

Who says that walls all have to look the same? Colour is part of life, just like music and agreeable odours. A tastefully designed natural fibre plaster becomes a canvas for your composition. With the right colour scheme you can make rooms appear bigger or smaller and lend every area of your home a unique atmosphere. In addition, the variety of application techniques, textural effects and artistic patterns from all over the world has always particularly fascinated people. Your imagination is given free rein.



Walls and ceilings

Designed to feel good







Natural wall paints...

tinting paints...

and glazes for walls and ceilings.

There is no design element that addresses the soul more directly than an expressive colour. AURO paints provide the best prerequisite for a pleasant indoor climate. They offer manifold possibilities to design and beautify walls and ceilings in a natural way.

Our wall paints consist of plant and mineral raw materials. They are manufactured following the principle of the least possible burden to man and environment. All ingredients are published and declared. Thus we provide the transparency that is needed by customers who want to know what is used in their homes.


Primers 47
Wall paints49
Wall plasters51
Full-shade tinting colours53
Colour wash plant glazes55
Wall glaze waxes56
Special-purpose wall paints57
High-grade lime range59
Lime-casein paint64
Overview of applications

Primers

Designed to feel good



Natural wall filler no. 329




















Obtaining perfect results when painting walls depends largely on careful preparation of the base surface. If small cracks or holes are not filled before painting, the imperfections are even more obvious after painting.



Plaster primer no. 301





- > Highly economical
- > For optimal substrate preparation









2,0 | 5,0 |

Materials which are highly or unevenly absorbent, such as gypsum plasterboard, should be pre-coated to achieve a uniform painting result. This avoids uneven, dull patches on the walls.



Silicate binder no. 304






















- > Non-acrylic
- > Ready to mix
- > For base silification

Primers

Designed to feel good









teristics.

- > Tintable with no. 330
- > Breathing, mild scent










5,0 l | 10,0 l

These new primers are easy to apply with a brush or roller and can be recoated with all AURO emulsion wall paints and lime paints. On interior surfaces, one coat is enough. On exterior walls, apply two coats of primer and, after a short while, overcoat with AURO High-grade lime paint (344).



Grip coat, granulated no. 506





- > Tintable with no. 330
- > Breathing, mild scent












5,0 | 10,0 |

Whether you select the fine or the granulated Grip coat, is a matter of personal taste.





Decorative and versatile

There are various ways for a follow-up design on interior walls that were primed and (re-)coated with AURO wall paints. On emulsion wall paints, the AURO Colour wash plant glaze (360) and Wall glaze wax (370) can be used to create individual designs. Instructions and videos for further creative wall designs, e.g. rust or marble look, can be found on our website. Discover the manifold possibilities for an individual, colourful wall design.

Wall paints

Designed to feel good



Natural resin wall paint, white no. 320

Open-pored matt white wall paint with a natural fragrance of essential oils. Washable quality with little dripping or splatter on application. Can be tinted with AURO Full-shade tinting colour (330).









For painting large areas of wallpaper or plaster, there is a range of white wall paints in various qualities. Depending on the wear, we offer a choice of three qualities. In order to ensure perfect results, use an appropriate brush to paint the carefully masked edges and corners and paint immediately afterwards the rest of the area with a roller. In the case of highly absorbent surfaces, it is essential that you first apply a basecoat of AURO Plaster primer (301).






- > Good coverage
- > For roller or brush application

5,0 l | 10,0 l



Natural resin wall paint no. 321















5,0 | 10,0 |

If you are painting over older coats, e.g. on woodchip wallpaper, please check whether the paint will adhere to the surface. Otherwise, the previous coats must be removed completely, for instance in the case of aging ceiling paint where adhesion is poor.



> For perfect painting results

> High-coverage interior paint

> Also suitable for clay renderings



Walls don't have to stay white

The AURO wall paint range gives you unlimited possibilities for the colourful design of rooms. We have compiled many colour combinations in our interactive Colour Designer on www.auro.com. The colour effect can be tested beforehand in different living areas. You can easily simulate as many shades as you like until vou find vour favourite AURO colour combination.

Wall paints

Designed to feel good





Plantodecor® Premium wall paint no. 524

Solvent-free premium dispersion wallpaint with professional product characteristics. High abrasion resistance (class 1), adhesion on difficult substrates and emission-free, tested according to the strict criteria of the AgBB and the TÜV Rheinland which makes it especially suitable for living areas.



- > Tintable with no. 330
- > Highest opacity class
- > Suited for all interior surfaces







5,0 l | 10,0 l

This innovative wall paint is based on the newly developed binding agent Replebin® and meets the highest requirements with regards to product characteristics and application. Plantodecor® Premium wall paint adheres on diverse substrates, e.g. on lime, silicate, and latex paints, as well as on other old coatings. It stays permanently white and dries quickly so that it can be overcoated after 4 to 6 hours already.

Plantodecor® Premium wall paint (524) was tested according to DIN EN norms and received the best possible classifications regarding opacity, abrasion resistance and water vapour permeability. In addition to that, it was tested on emissions and harmful substances by the TÜV (Technical Control Board) Rheinland. You can enter the ID number that is mentioned in the seal to the right on the TÜV website to get more information on the product certification.







TÜV - TEST ON EMISSIONS

According to AgBB evaluation scheme

TÜV - TEST ON HARMFUL SUBSTANCESTested on biocides and heavy metals

HIGHLY ECONOMICAL

Opacity class 1 acc. to DIN EN 13300

ABRASION RESISTANT

Wet abrasion class 1 acc. to DIN EN 13300

BREATHABILITY

Water vapour permeability class V_1 according to DIN EN 1062-1

50

Wall plasters

Designed to feel good

Individually textured walls make your rooms seem more dynamic, warmer and more interesting. For application with a roller or brush, AURO plasters are available, ready for processing, in a variety of grain sizes. Coloured surfaces can be achieved by mixing the AURO Full-shade tinting colours (330) into the plasters or by application of AURO Colour wash plant glaze (360) onto the white plaster.





Design ideas

With the AURO Roll and brush renderings no. 307 (fine), no. 308 (medium) and no. 309 (coarse), different textures can be achieved depending on the tools and grain selected. Painting with a brush, for instance, gives a completely different finish to application with a roller.


Roll and brush renderings - grains



no. 307 - rolled



no. 308 - rolled



no. 309 - rolled

Wall plasters

Designed to feel good



- > Easy to use
- > Very smooth
- > Velvet matt finish





10,0 l

The highly malleable **AURO Natural fibre plaster (311)** challenges your creativity; it can be formed with a trowel or even with your hands. There are also manifold design possibilities.

Mix in a bit of wool, for instance, or press in some shells to create original effects. And walls rendered with AURO plasters need not be white. As well as tinting the plaster, you can also set interesting accents by glazing the plaster with AURO Colour wash plant glazes (360) once it has dried thoroughly.

With the concrete look, the very popular trend of living in a loft can be optically imitated in every flat. Only four products are needed, AURO Fibre plaster (311), Wall paint (321), Wallpaper glue (389) and Full-shade tinting colour (330). The concrete look is created by applying two coats to the wall. What is needed for the application, and how it is actually done, can be seen in our application video on our YouTubeTM channel "AURO TV". Have a look at www.youtube.com/aurotv.





Full-shade tinting colours

Designed to feel good



> Easy to use

> Individual colour design

> For covering or glazing coats



0,25 | 0,50 | 2,50 |

* when used as a full-shade

Sometimes colour is a must. A celebration of creativity instead of monotonous white. Colourful walls and ceilings clearly show the personality of your home's inhabitants.

AURO's Full-shade tinting colours are extremely versatile. They can be used as tints in AURO's dispersion wall paints and plasters, or directly be painted as full shade paints where particularly strong colours are requested.

These AURO products can be tinted with the AURO Full-shade tinting colours (330): Grip coats no. 505, 506, wall paints no. 320, 321, and 524 as well as the plasters no. 307, 308, 309 and 311.

Spoilt for choice

In the AURO colour tone books I and II, you will find 160 delicately graduated, easyto-mix colours as original painted sample sheets. The colour tone books are available to view at AURO stockists.







Colour wash plant glazes

Designed to feel good



Colour wash plant glaze no. 360



Colour-wash glazes made purely from plant pigments. They are diluted with water according to the colour intensity required and applied with a brush or stippled onto white walls with a sponge.









0,375 | 0,75 |

Wall glazes create walls that appeal to your senses. Apply several delicate shades, one on top of the other (letting each coat dry first), to create "living" walls with an effect that is totally different to that of single-dimensional, uniform-coloured walls. When strongly diluted with water (more than 1:3), we recommend to add some AURO Colour wash binder (379).

Appropiate base coats for the wall glaze are fresh white AURO plasters (307/308/309/311) or dispersion wall paints (320/321/524).



> Easy to use

- > Highly economical
- > For a Mediterranean flair



Colour wash binder no. 379



An additive for AURO Colour wash plant glazes (360), if these are diluted with water in a ratio greater than 1:3. Or as a binding agent for production of your own wall glazes from powder pigments. (Not available in the AURO range).








0,375 | 0,75 | 5,0 | If you glaze over an existing white-painted surface, it may be that previously inconspicuous stains and imperfections become visible. With an additional coat of white wall paint you can avoid unpleasant surprises.




> Easy to use

- > Highly economical
- > For a Mediterranean flair


Colour tones

















Wall glaze waxes

Designed to feel good




* Only the colourless Wall glaze wax (370-00) is available in 2,5 l.


Bright and intensive glaze colours with additional wax protection: The Wall glaze wax is the ideal paint for the children's bedrooms, kitchen or hall. The glaze is diluted with water according to the colour intensity required and applied with a brush (in "sideways figures of eight") or stippled onto white walls with a sponge.


The paint dries milky at first and achieves its full colour intensity when the wax in the product is polished with a soft cloth or brush. The wax layer protects the wall from the marks of children's dirty hands.


The colourless version offers invisible protection when applied around light switches. The wax layer can later be removed, if necessary, with our mild **AURO Dishwashing liquid (473)**. The wall can then be repainted with AURO wall paints.

Colour tones









Mineral white 370-90



Beeswax – a key raw material


The beeswax we use in **AURO Wall glaze** wax (370) is also present in many other AURO products, e.g. in paints, waxes and some care products. It is a pure, unbleached, very smooth beeswax of the best possible origin, carefully tested on residues.

Special-purpose wall paints

Designed to feel good



Silicate paint no. 303











The classic problem solver for alkaline walls prone to mould growth, e.g. concrete and rendering inside. The ready to use, matt white paint is very open-pored and can also be used on old silicate coatings and clay surfaces.





- > Purely mineral
- > No acrylic components


an open-pored, breathing surface.



5,0 l | 10,0 l



Anti-mould paint no. 327











1,0 l | 5,0 l

Problems with mould can have various causes: more airtight houses, inadequate airing or construction defects. Natural paints based on aged slaked lime can help here: Just by painting on, they can help prevent potential mould formation. It is typical for this paint that it appears translucent during painting and only becomes white when dry.

* Adding lime tints to the Anti-mould paint can modify the product characteristics.

Use biocides carefully. Always read the label and product information before using.

> Purely mineral



Chalk paint no. 326

Traditional interior wall paint on the basis of slaked lime. Ideal for rooms with larger variations in temperature and humidity, such as kitchens, cellars, bathrooms and utility rooms. Tintable with Lime tinting base (350).



- > Purely mineral
- > Mould-inhibiting
- > Pleasant indoor climate









10,0 l

3 in 1 System

For an existing mould problem, AURO Mould eliminator (412) and AURO Mould stop (413) can provide immediate first aid. After treatment, paint over with AURO Anti-mould paint (327). The AURO Pur-san³ Anti-Mould System (414) includes all three products as a package (see page 92).

For lasting results, it is essential to find the cause of the mould and ensure that it is permanently eliminated.

Special-purpose wall paints


Designed to feel good

Up to now, wall paints were expected to provide a purely visual improvement. This new generation of wall paints can do much more: They not only deliver visible freshness, but can also use light to effectively disperse pollutants and odours and thus create a healthy living environment.



Best results are achieved with natural light, but artificial light sources can also be used. And this dispersion effect does not reduce over time, the level of efficacy remains constant over the whole useful life of the paint.

Like all living areas, rooms painted with AURO Airfresh wallpaint (328) should be aired regularly. Air movement is needed to ensure that the odour particles to be dissipated come into contact with the wall paint.



Fresh and white

This wall paint not only beautifies your walls, it also frees the inside air from pollutants, odours and bacteria. Learn how it works and get some tips for a perfect coating result in our application video on YouTube[™]. Have a look at www.youtube.com/aurotv.



The photocatalytic effect

has been tested and confirmed by the Institute of Technical Chemistry in Hanover. In addition, AURO has a test report prepared by the SIMT (Shanghai Institute for Measuring and Testing Technology) which confirms the very high potential of **AURO Airfresh wall-paint (328)** to break down formaldehyde.

After one hour, 90 % of the formaldehyde had been broken down, and after two hours it was 95 %. This is an excellent result, particularly since the formaldehyde was not just absorbed but actually broken down.

Designed to feel good



High-grade silicate primer no. 306



Ideal basecoat for use with the highgrade lime paint (344) outdoors. Achieves optimal hardening and silicification of the surface. The white pigmentation ensures better coverage of subsequent coatings.









> Perfect silicification

> Breathable > Easy application

> No acrylic dispersion



> Base for High-grade lime paint outdoors


5,0 l | 10,0 l

Lime paints, the traditional mineral paints, are enjoying a renaissance. The basis for these ready-to-use products in the blue bucket is a high-grade, specially dispersed slaked lime of particularly high quality. They can be used for all applications since they show particularly high adhesion on all mineral surfaces, as well as woodchip, wallpaper, gypsum plasterboard and clay.



High-grade lime filler no. 342















3,0 kg | 20,0 kg

* layer thickness: 0,5 mm

The simple application, good spraying properties and excellent drying results of AURO High-grade lime products are good arguments which are equally persuasive for professionals and amateurs.



Stucco Veneziano technique

On our YouTubeTM channel, we show you a wall decoration technique that can produce glassy wall surfaces similar to the Moroccan Tadelakt: The Stucco Veneziano technique with AURO High-grade lime filler (342) and Lime tinting base (350). Have a look at www.youtube.com/aurotv



Designed to feel good



> Breathable



5,0 l | 10,0 l




> Ideal for roller & brush application

Smooth, matt wall coatings with a high white degree can best be achieved with the AURO High-grade lime paint (344). Thanks to its moisture regulating properties, it perfectly supports a positive indoor climate and, at the same time, prevents the formation of mould.

The product can also be used as exterior paint if the AURO High-grade silicate primer (306) or AURO Grip coat (505/506) is used for the priming coat.

The High-grade lime paint can be diluted with up to 20 % of water. Depending on surface characteristics, the coverage can be up to 10 m²/l. Large areas can best be coated with a roller. While wet, the paint appears translucent and achieves full coverage only after it is dry.



Designed to feel good

As well as plasters on a dispersion basis, AURO also offers lime plasters based on slaked lime. Due to their high pH value, these products have excellent properties. They are breathable, moisture-regulating and do not exude solvent vapours. Lime plasters are the first choice for both new buildings and the renovation of historical buildings or those subject to preservation orders.



High-grade lime plaster, fine no. 345



Fine, mineral plaster in professional quality. Permeable to moisture vapour, with a fine-grain structure which ensures a very decorative texture. Can be applied with a roller or brush. Please use the AURO Lime tinting base (350) for tinting, if requested.











> For individual wall design

- > Good for man and nature
- > Ideal for roller and brush application

7,50 kg | 15,0 kg

Whether you select the fine-grain version or the somewhat thicker plaster to be applied with a trowel, is a matter of personal taste.



High-grade trowel lime plaster no. 347



This gleaming white indoor plaster which can also be textured can best be applied with a trowel, then textured decoratively with a brush or spatula. Coloured walls can be achieved by application of a followup coating on the thoroughly dried plaster with AURO Lime tinting base (350).















> Ready to use

- > Ideal for renovations
- > Decorative plaster suitable for texturing




18,0 kg

Tips for application

The appearance of the coating differs depending on the tools used. If you apply the High-grade lime plaster, fine (345) with a roller, the appearance is very different from a brush application.

The compactly structured **High-grade** trowel lime plaster (347) can best be applied with a smoothing trowel. However, if thinned with water, it can also be applied with a brush.

Surface textures



High-grade lime plaster, fine



High-grade trowel lime plaster



Designed to feel good



The **AURO Lime tinting base (350)** is available in 7 full shades which will make your heart beat faster and will give free rein to your creativity on and with high-grade lime products. The tinting bases can be freely mixed among each other so that an infinite array of colours can be obtained.

* if used as full shade colour

The AURO products no. 326, 342, 344, 345, 347 and 751 can be tinted with the AURO Lime tinting base. The tints are also suited for use in AURO products no. 327 and no. 328 although the characteristics of these special products may be impaired by tinting.

Our colour tone book offers 80 selected hand-made mixtures of **AURO High-grade lime paint (344)** with **AURO Lime tinting base (350)**. Please ask your retailer or distributor for availability of the colour tone book or a printed colour chart.





Lime-casein paint

Designed to feel good



Lime-casein paint is the alternative if your wall covering shall not contain solvents. It should not be used in damp rooms.

The powder is simply mixed with water, preferably with a paint stirrer on a drill. The mixed paint should be used within 10 hours. To avoid dripping when working overhead, thicken the paint by adding **AURO Wallpaper paste (389)**.



Overview of applications*

Designed to feel good

	Wall paints		Special-purpose wall paints		
	Dispersion		Anti-Mould	Photocatalytic	Silicate
Primer	no. 301 no. 329 no. 505 no. 506	no. 301 no. 329 no. 505 no. 506	no. 412 no. 413 no. 505 no. 506	no. 301 no. 329 no. 505 no. 506	no. 304 no. 306 no. 505 no. 506
Topcoat	no. 320 no. 321 no. 524	no. 307 no. 308 no. 309 no. 311	no. 327	no. 328	no. 303
Appearance	Fully covering, white		Fully covering, white		
Tinting	no. 330	no. 330	no. 350	no. 350	
Glazing or waxing	no. 360 no. 379 no. 370	no. 360 no. 379			

	High-grade lime ra	Lime-casein paint		
	Lime paint	Lime plaster	Powder	
Primer	no. 301 no. 306 no. 342 no. 505 no. 506	no. 301 no. 306 no. 342 no. 505 no. 506	no. 329 no. 505 no. 506	
Topcoat	no. 326 no. 344	no. 345 no. 347	no. 751	
Appearance	Fully covering, white		Fully covering, white	
Tinting	no. 350	no. 350	no. 350	

^{*} Applications are optional and depend on the material and properties of the wall surface. Please see our current technical data sheets at www.auro.com. The consumption quantities stated on labels and in Technical data sheets are non-binding guide values for smooth surfaces of average absorbency with application of a single coat. The actual quantities used and the suitability with regard to the surface being treated must always be ascertained by prior testing on the object itself.



Brillant ideas

Powerful organic cleaning







Natural products for cleaning...

care..

and mould removal

As the leading producer of ecological coating materials, natural paints and care prodcts, we manufacture our products with the least possible strain on man and environment. Of course this principle also applies for our cleaning, care and maintenance products in the successful "Brilliant Ideas" assortment. This product range includes special cleaning and care products for furniture, floors, kitchens and bathrooms. All ingredients are of natural origin and can be re-integrated into the natural cycle of materials.

In order to provide maximum protection for the consumer and the environment, only those ingredients are used in the products that are absolutely necessary for a good result. Of course, redundant substances like synthetic fragrances or irritants are avoided, as well as any unnecessary substances that could harm your skin. These products combine technical superiority with the power of nature.

Floors69
Furniture75
Kitchens77
Bathrooms79
Soaps81

Floors

Powerful organic cleaning



Your choice of cleaning materials determines not only whether things get clean, but also whether the environment is treated gently or not. With its household range, AURO offers cleaning products made from consistently natural and renewable raw materials.






Very easy application

Clean the floor by sweeping or vacuumcleaning. Dissolve **AURO Floor cleaner** (427) or **Floor care** (437) in warm water, following the dosage recommendation on the label, and wipe with a damp cloth. Finally wipe with clear water.

Powerful organic cleaning

Based on its longtime experience, the AURO research team has developed solutions for almost all cleaning problems. All products in the range are made on a natural basis. Unlike products with a petrochemical basis, AURO products are not only kind to the environment but also to the health of their










Powerful organic cleaning

From time to time, old, dried layers of oil, grease or wax have to be removed, especially in heavily frequented areas where additional dirt accumulates quickly. Aggressive cleaners can easily destroy the surface that should be protected.

Mild but still effective cleaners are needed here in order to save precious surfaces.



Floor degreaser and dewaxer

The perfect problem solver for floors with tough and dried-in layers of oil, grease and wax. Removes old layers of polish and wax from fine stone, PVC and other materials. Strong and effective cleaner in a practical tin bottle with a screw top.













Wooden floors cleaning and care no. 661











0,5 l





Universal cleaner no. 471

This highly effective cleaner removes even the most stubborn soilings. A cleaner concentrate for heavily soiled tiles, PVC flooring and many other surfaces.













0,5 | 2,0 |



Powerful organic cleaning



TexxClean - Carpet and upholstery cleaning system no. 668

Practical all-in-one set for the hygienic and ecological cleaning of carpets, upholstery or car seats. The box contains a 0,5 l bottle each of Stain remover spray (667), Carpet pretreatment agent (665) and Carpet cleaner (669). Also included are a handbrush and three special cloths for taking up dissolved dirt.









If it comes to warmth and comfort no floor covering comes even close to a carpeted floor. For the long-lasting pleasure in a carpet, it should be vacuumed regularly and, from time to time, be cleaned wet. Modern consumers expect from a wet cleaning system that it spotlessly removes stains and unsightly soilings. At the same time, it is vital that product ingredients do not impair people's health.

Tip: Spray extraction cleaning machines can be lent out at some interior decorators' shops, DIY markets or stockists. There are also some internet services specialising in lending machinery.

Carpet cleaning made easy



1) Before application, remove rough dirt. Spray AURO Stain remover onto stubborn stains.



2) Carefully dissolve the stains while treating with the brush, working from the fringe to the center. Let react for 3 to 5 minutes.



3) Take up dissolved dirt with the clean dry cloth (included) and dab dry.




4) Spray Carpet pretreatment onto soiled areas, e.g. heavily loaded entry areas or worn-out spots, and let react for up to 10 minutes, depending on the degree of soiling.



5) Fill the tank of the spray extraction cleaner with the mixture of water and Carpet cleaner. Depending on the degree of soiling, 15 to 25 ml of AURO Carpet cleaner are used in 1 l of water.



6) Clean the carpet observing the machine producers' instructions and provisions. Let dry for at least 24 hours, then hoover the carpet.



Powerful organic cleaning



Carpet pretreatment agent no. 665



Optimal pretreatment for AURO Carpet cleaner (669) on heavily loaded entry areas or worn-out spots. Also suited for use on upholstery or car seats.









The cleaners are made from natural raw materials that are fully biodegradable. **TexxClean** does not leave any residues in the carpet that could do harm to humans or animals. As opposed to conventional carpet cleaners, the soft, fluffy feel of the carpet surface remains intact after the cleaning procedure - an advantage that is appreciated not only by those who love to loll around on the floor.





Tip: TexxClean (668) is a versatile product set. It can not only be used to clean carpets in an environmentally friendly way but can also be used on upholstery furniture, textile car seats, and other fabrics that are tolerant against moisture.





Furniture

Powerful organic cleaning

To ensure that your furniture looks good and well cared-for long-term, dusting is not enough.

AURO has the appropriate cleaning and care products for furniture of various materials: for painted, stained or oiled surfaces, Grandma's chest of drawers or the solid wood garden chairs. The surfaces are cleaned gently but effectively and enhanced with natural care substances.









Furniture

Powerful organic cleaning



(see page 13).

Precious garden furniture made of solid wood can quickly become unsightly when it is exposed to wind and weather. The beauty of your garden furniture can be maintained by regular care. A thorough cleaning and an oil treatment at the beginning of every garden season provide long-lasting enjoyment in your solid wood garden furniture, for many summer periods to come.




0,5 l

Kitchens

Powerful organic cleaning



Many people wish for a high-quality kitchen made of solid wood. Once this dream has been turned into a reality, the precious natural material needs regular care in order to let worktops, wooden fronts and also stainless steel surfaces look beautiful even after many years of use.



How to apply Worktop oil

Before **AURO Worktop oil (108)** is applied, the wood should be rubbed down with very fine emery paper or emery fleece. Previously oiled and worn surfaces should be cleaned to remove all contaminations before they are fine sanded. Then apply the Worktop oil economically with a cloth and distribute it uniformly on the surface. On untreated wood, the Worktop oil can also be applied with a brush or roller.

Any oil that has not been absorbed by the wood after a brief period (max. 30 minutes after application) must be absorbed with a cloth or completely rubbed into the wood. Spread out all soiled cleaning cloths to dry outside to avoid spontaneous ignition.



Kitchens

Powerful organic cleaning





In the kitchen, cleanliness and hygiene are particularly important. Various types of dirt, such as grease deposits on extractor fans or baked-on crusts in ovens require effective special cleaners.

AURO offers you a range of problem solving products that are effective and, at the same time, consistently ecological. These cleaners are gentle on your health and the environment.



Biological and controlled

For the production of our products, we also use oils and fats from certified organic farming and raw materials that have an ECOCERT certification and thus guarantee

highest biological standards. In addition to that, we often use oils from rapeseed, linseed or soya that are tested by the Institute for Market Technology.





Kitchen degreaser no. 651

Power cleaner that effectively and reliably removes layers of fat and greasy deposits from the stove, extractor fan and worktops. Thorough cleaning, mild on materials and safe for food. In a practical spray bottle.



Citrus fresh

o,5 l

Bathrooms

Powerful organic cleaning



Bathrooms belong to the heavily-used rooms in the house. Calcium and soap deposits form quickly on the ceramics and a new shine must be achieved. With **AURO Sanitary power cleaner (652)** in a practical spray bottle, unpleasant smells and deposits are quickly removed. It produces a brilliant shine and a subtle fresh fragrance.





0,5 l

Bathrooms

Powerful organic cleaning



If the bathroom is not adequately aired after showering, the permanent damp conditions rapidly lead to development of mould in the form of dark patches on tiles and walls. The two sprays in the AURO anti-mould programme provide first aid: AURO Mould eliminator (412) and Mould stop (413).

The sprays are declared as biocidal products. Use biocides carefully. Always read the label and product information before using.

0,5 l







Soaps

Powerful organic cleaning



Dishwashing liquid no. 473

High grease cutting power and yet gentle on your hands: the perfect dishwashing liquid for spotless, sparkling plates and crockery. Also recommended for cleaning windows! The product has been dermatologically tested (on people) and its very good skin compatibility been confirmed by independent institutes.









0,5 | | 5,0 |

Frequent hand washing or dishwashing by hand can overstrain the skin, especially if substances are used that remove the dirt but also lead to skin irritation. It is much better to resort to mild ingredients that have a very good cleaning effect and, at the same time, mildly care for the skin and of course contain no synthetic fragrances.





Liquid handwash no. 491

A mild handwash that contains neither natural nor synthetic scents. Our purely vegetable soap is also available as a liquid handwash. Your hands will feel soft even after repeated use.













0,5 | 5,0 |

For the sake of the environment

With AURO's cleaning, care and maintenance range, you are well-prepared for the daily domestic work. At the same time, a contribution is made to the protection of the environment. The products are made of pre-

cious ingredients and can be fully reintegrated into the natural cycle of materials.







The range of AURO products does not end when you have finished decorating your house and have treated and enhanced all the floors. It is then that life is breathed into the house, and AURO has a lot more to offer there. Take a stroll through your house or flat: there is no end to AURO's good ideas. Whether it be for pasting fresh wall-paper, the occasional repair of precious objects or enjoying some relaxing craftwork with the children: You can remain true to the AURO principle.

Glues and special products

Sticking with our principles







Natural wallpaper glue...

glues for floor coverings...

and products for tool cleaning.

Floor coverings, such as linoleum, cork or natural fibre carpets, are very popular. If these floorings are to be laid in rooms subject to heavy wear, it is a good idea to have them permanently fixated.

AURO offers various dispersion glues for this purpose. They are produced from natural latex milk and natural resins. In addition to that, AURO has a lot of cleverly worked out product ideas for you.

Glues	•	•	 •	 •	•	 •	•	•	•	•	•	•	•	 85
Special products														 87

Glues

Sticking with our principles



A universal adhesive made of natural latex milk and natural resin for a wide variety of applications inside the house, e.g. textile floor coverings, natural fibre carpets, natural stone or Solnhofer tiles.

















- > For linoleum
- > For ceramic tiles







The professional adhesive for DIY experts made from natural latex milk and natural resin for a range of applications indoors. Well suited for flooring subject to heavy wear with chair casters. Thanks to easy workability, this glue also brings relief to stressed workman's wrists.
















- > For carpet
- > For linoleum

> Easy to apply

> Dries up transparently > Very strong adhesive power



Wall covering adhesive





hesive for heavy wallpapers and many other types of wall coverings. It is suited for textile fabrics, coarsely structured or textured wallpapers, wall coverings made of fleece, foamed vinyl, PVC, metal, glass fibres and many other materials.









Glues

Sticking with our principles




Contact glue no. 390

Low solvent content, therefore good for craftwork with children. Sticks everything which may break and needs to be permanently stuck: paper, cardboard, wood, many plastics, metal, glass, ceramics, etc. Glue residue is biodegradable.



- > High adhesive strength
- > Made from purely natural materials










This glue is a must for small tinkerers as well as for grownup craftsmen. The economic 75 ml tube provides for easy dosing and has little tendency towards dripping. The hours of tinkering with the little ones are even more fun with this all-natural glue.



Wallpaper paste

For DIY enthusiasts and professionals: pastes thin and thick wallpapers to the wall. Powder made purely of methyl cellu-











> Easy to use









c)





Manifold application possibilities

A creative craft idea for a rainy day:

You have remainders of beautiful wallpapers or wrapping paper? You have magazine files, e.g. made of wood, that are functional but not very nice to look at? With AURO Wallpaper paste (389) and a little bit of skill you can turn them into individual items, as if by magic.

Apart from the Wallpaper glue, you only need a stir stick, a brush and a cutter. Mix a small amount of glue and stir up again after one hour of swelling. Detailed instruction can be found on the label.

Now cut out the wallpaper to fit the surfaces of the magazine file and apply wallpaper glue to the reverse side with a brush. Apply glue also to the surfaces of the magazine file. Now, the wallpaper can be glued to the wooden surfaces. Make sure to press on and smooth out any air bubbles.

Here it is, your magazine file in a new, decorative look, now definitely a single copy.


Sticking with our principles



no. 191

Thinning agent with natural citrus fragrance. For thinning all AURO products from the PurSolid and Classic ranges, as well as cleaning brushes and tools after working with these products. Also perfectly suited for use as scented oil.




















All working aids, such as brushes or rollers, must be cleaned carefully after use to ensure that they retain their quality and their usefulness to you.

AURO Orange oil (191) is ideally suited for cleaning or storing tools if you have been working with PurSolid or Classic products. However, residues of Aqua products can be removed very easily with AURO Plant soap (411). Rub the soap in well and rinse off with lots of water, then hang up the brushes to dry.



Plant soap no. 411





















- > For cleaning tools
- > Highly economical concentrate





Stripping paste

The varnish has to go! No problem with this stripping paste. It removes old coats of oil-based, natural resin and alkyd resin varnishes from wood, wooden materials or plaster.



- > Easy to use
- > Also for alkyd resin paint
- > For removing old coats of paint





Sticking with our principles

There is an ecological alternative to construction foam: When fitting windows and doors, the joints can be filled in with AURO Cork filler (389). It fills cavities between brickwork and window or door frames providing good sound and heat insulation. The solvent-free cork granulate with an elastic organic binding agent can be easily pressed out of the tube with the caulking gun (also available from AURO, see below). The resulting sealing is breathable and can also be overcoated, if required.







Sticking with our principles











and stone.



clinker...

Clinker oil

Protection and enhancement for cotto, clinker & co: oil for open-pored priming and surface treatment of clinker, stone, cotto plates and unglazed clay tiles. Hardens slightly sandy base surfaces.



- > Easy to work, very economical
- > For impregnation of base surfaces









On rough sawn wood façades of residential or summer houses, AURO's Swedish red (148) gives the typical Scandinavian look. This solvent-free, ready-to-use pigmented colour wash is very easy to rework. The colour intensity of this matt masonry paint depends on the weather: on dry days it is lighter, on wet days darker.

The "Swedish look" is perfect where window frames and doors are set off white against the Swedish red with AURO Gloss paint, white (250-90).



wood paint no. 148

Typical Swedish house look: oxide red pigmented colour wash for rough sawn wood façades of residential and summer houses. Doesn't flake or fade and can be reworked without much additional effort. Simply brush off and repaint.



- > Breathable
- > Easy to use
- > For untreated wood façades

















Sticking with our principles



Clean & Care Wax - Moist cloth for wood flooring no. 680

Ideal for easy and hygienic cleaning of all wooden, cork and laminated surfaces. Ideal for cleaning oiled and waxed wooden surfaces and wooden furniture. After use, the cloth is suitable for composting.



- > For all standard types of mop
- > 100% bio-degradable natural fleece









A beautiful wooden floor develops to its full glory when it can show a glossy shine. With the moist wooden floor cloths this happens not only quickly, but also thoroughly. Suitable for all standard mop systems, the cloths are easy to use and are also gentle on hands and skin. The cloths can, of course, also be used on wooden furniture.

The cloths clean, maintain and protect the wood through their natural wax and jojoba oil. The mild ingredients ensure that your home is not filled with the penetrating, synthetic smell of conventional cleaning products.

Tip: These practical cloths are the first worldwide with a 100 % bio-degradable natural fleece. They come in a resealable pack so you can regularly give your floors a fresh shine. Wooden furniture can also be treated with this care product.



Sticking with our principles

AURO's highly effective mould first aid programme provides a remedy in case of mould infestations. Care must be taken because the dark mould patches are not only an eyesore, but can also cause damage to the substance of the building and, even more important, considerable health problems.

In the case of actual mould, a search must be made for the cause of the damp as well as any other mould not visible. Invisible mould behind furniture, wallpaper, mouldings or thick curtains can be recognised by a musty, earthy smell.



Use biocides carefully. Always read the label and product information before using.





Good to know

The sooner the mould is treated after discovery, the better. Badly effected places should be cleaned as quickly as possible because every air movement stirs up the mould spores. Conventional products to remove mould often contain dubious chlorine compounds. New health risks are brought into the house with the cleaning products.

Here solutions are required which are highly effective but at the same time well tolerated by man and nature. AURO offers an alternative system which has no chlorine, synthetic poisons or noxious vapours and nevertheless effectively counters mould.



Index

No.	Article designation P	age	No.	Article designation I	Page	No.	Article designation	Page
102	Oil for garden furniture, Classic	13	306	High-grade silicate primer	59	471	Universal cleaner	71
106	Care oil	42	307	Roll and brush rendering - fine	51	473	Dishwashing liquid	81
107	Care wax	42	308	Roll and brush rendering - mediu	m 51	490	Bar soap	81
108	Worktop oil 22	2/77	309	Roll and brush rendering - coarse	51	491	Liquid handwash	81
109	One-off oil	29	311	Natural fibre plaster (indoors)	52			
109-90	One-off oil, natural	29	320	Natural resin wall paint, white	49	505	Grip coat, fine	48
110	Terrace oil	14	321	Natural resin wall paint	49	506	Grip coat, granulated	48
114	Clinker oil	89	326	Chalk paint	57	524	Plantodecor®	50
115	Oil for garden furniture, Aqua	13	327	Anti-mould paint	57		Premium wall paint	
117	Special primer	9	328	Airfresh wallpaint	58	650	Express power cleaner	70
121	Impregnating primer	23	329	Natural wall filler	47	651	Kitchen degreaser	78 78
123	PurSolid Hard oil	30	330	Full-shade tinting colour	53	652	Sanitary power cleaner	•
125	One-off oil wax	36	342	High-grade lime filler	59	654	Scale and rust remover	79 79
126	Hard oil, clear	31	344	High-grade lime paint	60	655	Floor degreaser and dewaxer	79 71
126-90	Hard oil, white	31	345	High-grade lime plaster, fine	61	656	Linoleum cleaner	70
127	Hard primer	38	347	High-grade trowel lime plaster	61	657	Linoleum care	70
128	2 in 1 Oil-wax, PurSolid	35	350	Lime tinting base	63	660	Oven cleaner	78
129	2 in 1 Oil-wax, Classic	35	360	Colour wash plant glaze	55	661	Wooden floors cleaning and care	,
143	Linseed oil varnish	22	370	Wall glaze wax	56	662	Intensive furniture care	75 75
148	Swedish red exterior wood paint	89	379	Colour wash binder	55	663	Stainless steel cleaner	73 77
150	Colour conc. for natural resin oils	23	380	Natural resin universal adhesive	85	665	Carpet pretreatment agent	74
160	Woodstain, Aqua	11	382	Floor covering adhesive	85	667	Stain remover spray	74
171	Hard wax	33	389	Wallpaper paste	86	668	TexxClean - Carpet and	74
173	Furniture balsam	24	390	Contact glue	86		upholstery cleaning system	73
187	Wood wax	38	391	Wall covering adhesive	85	669	Carpet cleaner	74
191	Orange oil	87	396	Cork filler	88	673	Leather clean & care	75
						680	Clean & Care Wax -	
231	Paint filler	15	401	Softwood lye	39		moist cloth for wood flooring	91
234	Rust protection primer	15	402	Hardwood lye	39			
250	Gloss paint	19	403	Wood soap	40	751	Lime-casein wall paint	64
250-90	Gloss paint, white, Aqua	18	404	Wood soap, white	40	_		
251	Clear lacquer, glossy	21	411	Plant soap	87	801	Terrace cleaner	70
253	White undercoat, glossy	16	412	Mould eliminator	80	811	Garden furniture cleaner	76
257	Radiator paint	18	413	Mould stop	80	814	Wainscot white	9
260	Matt silk paint	19	414	Pur-san ³ Anti-mould system (3 in 1)	92		Was datain Classic	
260-90	Matt silk paint, white, Aqua	18	421	Power cleaner	41	930	Woodstain, Classic	10
261	Clear lacquer, matt silk	21	427	Floor cleaner	69	933	White tangent glassy Classic	16
267	Floor varnish	38	431	Floor care emulsion	41	935	White topcoat, glossy, Classic	17
204	Diactor primar	, –	435	Paint and stain cleaner	75	936	White topcoat, satin matt, Classic Plant hard wax, Classic	•
301	Plaster primer	47	437	Floor care	69	971 981	Liquid wax	24
303	Silicate paint Silicate binder	57	461	Stripping paste	87	901	Liquiu wax	24
304	Sincare billuer	47			,			

Notes	

Photo credits

All photos: AURO archive, unless mentioned otherwise.

About AURO/Cover/Others

p. 4 Federal Ministry of Economic Affairs and Energy
Stamp Approved: Oleksiy Mark -Panthermedia;
p. 93 Guldsmeden Hotels Kopenhagen, photographer
Lisbeth Michelsen

Furniture and wooden surfaces

p. 9 Ivinst - iStockphoto; p. 12 www.voema.de; p. 14 gmf1963 - Fotolia; p. 15 left: Georg Winkens - Thinkstock, right: Luso - iStockphoto; p. 17 onepony - iStockphoto, p. 24 Available-Light - iStockphoto, p. 25 Marina Lohrbach - Fotolia

Wooden floors

p. 29 gjeerawut - Fotolia; p. 35 goodluz - Fotolia; p. 37 Dirima - Fotolia; p. 39 www.arcarchitekten.de; p. 40 ATILLA ALTUN - iStockphoto; p. 42 Charles Mann Photography - iStockphoto; p. 43 sunnychicka - Fotolia;

Walls and ceilings

p. 49 Vadim Andrushchenko - Fotolia; p. 51 Wilm Ihlenfeld -Panthermedia; p. 62 - Jupiterimages, Brand X Pictures -Thinkstock; p. 64 piovesempre - Thinkstock; p. 65 Anika Salsera - Thinkstock

Brilliant ideas

p. 70 - tab 1962 - Thinkstock; p. 72 4774344sean - Thinkstock; p. 73 Wavebreakmedia ltd - Panthermedia; p. 74 bonciutoma - Fotolia; p. 75 www.sixay.com; p. 76 Kay Taenzer - Thinkstock; p. 78 Imgorthand - iStockphoto; p. 82 DMITRI MARUTA - Fotolia

Glues and special products

p. 84 middle: hayo, right: Andreas Unger - Fotolia: p. 85 oben: Heiko Küverling - Panthermedia; p. 87 STEPHAN ZABEL - iStockphoto; p. 88 altrendo images - Thinkstock p. 89 left: Coprid - Thinkstock; p. 89 middle: Jeanette Dietl -Fotolia; p. 90 bigganvi38 - Fotolia; p. 92 Zlatan Durakovi -Panthermedia;



Stainless steel cleaner No. 663



Samuel Control	Oberklass
Heimwerker Praxis Ausgabe 42000	1,7



Excellent ratings and awards in product tests of leading German **DIY journals**, e.g. High-grade lime paint No. 344, High-grade lime plaster No. 345, Woodstain No. 160.



AURO is the first producer to offer **products** from every application range that are **tested according to the AgBB evaluation scheme** and therefore **especially recommended for living areas**. The positive AgBB evaluation is also the prerequisite for the admission of a building product at the German Institute for Building Technology (DIBt).

<u>More Information: http://goo.gl/RMkigx</u>



AURO offers high-quality wallpaints without volatile organic compounds that are consistent with the **Decopaint Guideline** (2004/42/EC). The test certificates for wallpaints are available. More information: http://goo.gl/Fe96Km


AURO's Woodstain no. 160-84 was awarded "test winner" in a product test carried out in May 2006 by Germany's biggest consumer protection organisation "test" (Stiftung Warentest).





As a pioneer in the ecological field,
AURO had coatings relevant for use on toys
(like Woodstain or Lacquer paints) successfully
certified according to DIN norm 53160 (sweat
and saliva resistance) and the new version of
the EN norm 71-3 (toy norm). More information:
http://goo.gl/Fe96Km

The Hygiene & Microbiology Research Center in Tokyo has successfully tested the anti-mould properties of AURO's Mould stop no. 413 on frequently occurring mould spores. More information: http://goo.gl/Fe96Km





Our complete product range fulfills the requirements of the **French VOC regulation**, getting the top grades A or A+. More than three quarters of the relevant products are **rated A+**.



The Japanese Ministry for Economy, Trade and Industry was assigned to develop the JIS standard for environmentally friendly products, a standard based on the "Environmental JIS Development Action Program". In VOC tests for building products, AURO products achieved the best result possible, a 4-star rating.



The **photocatalytical activity** of the AURO Airfresh paint no. 328 has been **tested and confirmed** by the Institute for Technical Chemistry in Hanover. The SIMT (Shanghai Institut for Measuring and Testing Technology) **tested this product successfully on the degradability of formaldehyde**. More Information: http://goo.gl/Fe96Km

"Medically recommended for lodgings"

- Certificate awarded by the journal "Wohnmedizin" for **AURO Wallpaint no. 321.** <u>More Information:</u> <u>http://goo.gl/Fe96Km</u>





AURO Pflanzenchemie AG

AURO is the pioneering enterprise in the field of ecological paints, wood care and cleaning products. Our paints, stains, oils, waxes, cleaning and care products show that products manufactured from natural raw materials are highly efficient and more sustainable than most conventional products on the market.

Product catalogue presented by





www.auro.com



www.youtube.com/AUROtv

AURO Pflanzenchemie AG

Alte Frankfurter Straße 211 | D-38122 Braunschweig Tel: +49 (0)5 31 - 28 141 - 0 | Fax: +49 (0)5 31 - 28 141 - 63 export@auro.de | www.auro.com

